



**INTERPATH  
LABORATORY SERVICES**

**Amendment**

**Amendment to: TEST CHANGES EFFECTIVE MAY 16<sup>th</sup>, 2011**

**Please note the following test updates. Make the changes in your Interpath Service Manual if appropriate. Contact Client Services at 800-700-6891 for additional information.**

<u>Test #</u>	<u>Test Name</u>	<u>Change/New Information</u>
91057	Chromogranin A	<b>New Reference Range – Incorrect reporting unit given (was ng/mL) 0-95 mg/mL</b>
94073	<b>CMV Quant by PCR</b>  94075 CMV Quant 94074 Source	<b>New Test - component numbers were switched</b> Collect 4 ml EDTA tube Submit 1 mL (Min 0.5 mL) whole blood. Refrigerated Alternate: Collect 7.5 mL SST tube Submit 1 mL (Min 0.5 mL) serum. Refrigerated CSF, Amniotic fluid, urine also acceptable Stability: Ambient – 48 hour(s), Refrigerated – 8 day(s), Frozen – Unacceptable for whole blood CPT: 87497
91366	Histamine, Plasma	<b>Discontinued Test - Previously reported as test 91129</b>
94084	Histamine	<b>New Test – No change</b> Collect 4 mL EDTA tube Submit 1 mL (Min 0.5 mL) EDTA plasma Frozen Separate from cells ASAP. Critical frozen Reference Range = 0.1-1.8 ng/mL Stability: Ambient – 24 hour(s), Refrigerated – 24 hour(s), Frozen – 7 day(s) CPT: 83088