

As an Interpath customer who receives electronic results or sends electronic orders you may need to be notified when we update our Service Manual. Although we try to keep these changes to a minimum, laboratory medicine is an evolving industry requiring changes to our technology from time to time. Depending on the requirements of your EMR or Hospital Information System you may be required to make similar changes to your system in order to correctly process inbound electronic results and create outbound electronic orders.

If you are uncertain that you are required to update your system we recommend that you contact your vendor for more information. As your laboratory service provider we are available to participate in the discussion with your vendor so that you clearly understand the impact of these changes.

Included in this email:

- This cover letter with a summary of the changes
- Microsoft Word® Document with the detail of these changes to our Service Manual
- Interpath Master Order/Result Compendium

Additional information including our most recent Service Manual and additional contact information can be found at www.interpathlab.com

Effective Date: February 20, 2018

91376 AFP, Amniotic w/Reflex to Acetylcholinesterase
Please discontinue test. Testing being replaced with panel 92044.

DT

92044 AFP, Amniotic w/Reflex to Acetylcholinesterase and Fetal Hemoglobin **NT/AOE**

Specimen:					
Collect:	Amniotic Fluid in Sterile Specimen Container				
Submit:	3 mL (Min:1.5 mL) Amniotic Fluid in Sterile Specimen Container. Submit Ambient.				
Special Handling:	Patient Prep: Amniocentesis Specimen must be drawn between 13 weeks, 0 days and 36 weeks, 6 days gestation. Include gestational age at time of collection or estimated due date, physician name and phone number on the test request form. Elevated AFP reflexes to Acetylcholinesterase, performed at additional charge.				
Rejection Criteria:	Specimens contaminated with fetal blood				
Stability:	Ambient: 1 Month(s); Refrigerated: 3 Month(s); Frozen: 3 Month(s); Incubated: Unacceptable				
Methodology:	Electrophoresis; Quantitative Chemiluminescent Immunoassay				
Performed:	Sun-Sat				
Reported:	4-5 Day(s) If reflexed, Acetylcholinesterase results are reported 4-12 days after the completion of the AFP.				
Interpretive Data:	Please see report for interpretive data.				
Components:	<table style="width: 100%; border: none;"> <tr> <td style="width: 50%;">92045 - AFP AMNIOTIC</td> <td style="width: 50%;">92046 - AFP AF MoM</td> </tr> <tr> <td>92047 - AFP AF INTERP</td> <td>93252 - Gestational Age</td> </tr> </table>	92045 - AFP AMNIOTIC	92046 - AFP AF MoM	92047 - AFP AF INTERP	93252 - Gestational Age
92045 - AFP AMNIOTIC	92046 - AFP AF MoM				
92047 - AFP AF INTERP	93252 - Gestational Age				

New Test to replace 91376 AFP, Amniotic w/Reflex to Acetylcholinesterase.

Please Build the following ask on order entry questions for this test: 1016 Estimated Due Date, 1023 Gestational Age in weeks, and 1129 Date of LMP.

90165 Bordetella pertussis Antibodies, IgA, IgG, and IgM by ELISA with Reflex to Immunoblot RRC

Specimen:	
Collect:	One SST Also Acceptable One Red Top
Submit:	1 mL (Min:0.3 mL) Serum. Submit Refrigerated.
Special Handling:	Mark specimens plainly as "acute" or "convalescent." If Bordetella Abs are positive Immunoblot testing will be added. Additional charges will apply.
Rejection Criteria:	Bacterially Contaminated Samples Grossly Lipemic Samples Heat inactivated
Stability:	Ambient: 2 Day(s); Refrigerated: 2 Week(s); Frozen: 12 Month(s); Incubated: Unacceptable
Methodology:	Qualitative Immunoblot; Semi-Quantitative Enzyme-Linked Immunosorbent Assay
Performed:	Tuesday, Friday
Reported:	2-6 Day(s)
CPT Codes:	86615x3
Interpretive Data:	Please see report for interpretive data.
Components:	91488 - B. PERTUSSIS IgG 90166 - B. PERTUSSIS IgA 91489 - B. PERTUSSIS IgM

Please take note of change in reference range and units used.

90166 - B. PERTUSSIS IgA Reference Range:

0.9 IV or less Negative - No significant level of detectable B. pertussis IgA antibody.
 1.0-1.1 IV Equivocal - Repeat testing in 10-14 days may be helpful.
 1.2 IV or greater: Positive - IgA antibody to B. pertussis detected, which may indicate a current or past exposure/immunization to B. pertussis.

91488 - B. PERTUSSIS IgG Reference Range:

0.94 IV or less Negative - No significant level of detectable B. pertussis IgG antibody.
 0.95-1.04 IV Equivocal - Repeat testing in 10-14 days may be helpful.
 1.05 IV or greater: Positive - IgG antibody to B. pertussis detected, which may indicate a current or past exposure/immunization to B. pertussis.

91489 - B. PERTUSSIS IgM Reference Range:

0.9 IV or less Negative – No significant level of detectable B. pertussis IgM antibody.
 1.0-1.1 IV Equivocal – Repeat testing in 10-14 days may be helpful.
 1.2 IV or greater Positive – IgM antibody to B. pertussis detected, which may indicate a current or recent exposure/immunization to B. pertussis.

91487 Bordetella pertussis Antibodies, IgG/IgM
RRC

Specimen:	
Collect:	One SST Also Acceptable One Red Top
Submit:	1 mL (Min:0.3 mL) Serum. Submit Refrigerated. Submit in a Standard Transport Tube.
Special Handling:	Separate from cells ASAP Mark specimens plainly as "acute" or "convalescent." If Bordetella Abs are positive Immunoblot testing will be added. Additional charges will apply.
Rejection Criteria:	Bacterially Contaminated Samples Grossly Lipemic Samples Heat inactivated
Stability:	Ambient: 2 Day(s); Refrigerated: 2 Week(s); Frozen: 12 Month(s); Incubated: Unacceptable
Methodology:	Qualitative Immunoblot; Semi-Quantitative Enzyme-Linked Immunosorbent Assay
Performed:	Tuesday, Friday
Reported:	2-6 Day(s)
CPT Codes:	86615x2
Interpretive Data:	Please see report for interpretive data.
Components:	91488 - B. PERTUSSIS IgG 91489 - B. PERTUSSIS IgM

Please take note of change in reference range and units used.

91488 - B. PERTUSSIS IgG Reference Range:

0.94 IV or less Negative - No significant level of detectable B. pertussis IgG antibody.
 0.95-1.04 IV Equivocal - Repeat testing in 10-14 days may be helpful.
 1.05 IV or greater: Positive - IgG antibody to B. pertussis detected, which may indicate a current or past exposure/immunization to B. pertussis.

91489 - B. PERTUSSIS IgM Reference Range:

0.9 IV or less Negative – No significant level of detectable B. pertussis IgM antibody.
 1.0-1.1 IV Equivocal – Repeat testing in 10-14 days may be helpful.
 1.2 IV or greater Positive – IgM antibody to B. pertussis detected, which may indicate a current or recent exposure/immunization to B. pertussis.

90007 Cystatin C w/Reflex to Estimated Glomerular Filtration Rate NC

Specimen:	
Collect:	One SST Also Acceptable One Red Top
Submit:	1 mL (Min:0.5 mL) Serum. Submit Refrigerated. Submit in a Standard Transport Tube.
Special Handling:	If the patient's age is unknown or is 18 years or greater, then Cystatin C Reflex will be added at no extra charge.
Rejection Criteria:	Grossly Hemolyzed Samples
Stability:	Ambient: 2 Day(s); Refrigerated: 1 Week(s); Frozen: 2 Month(s); Incubated: Unacceptable
Methodology:	Quantitative Nephelometry
Performed:	Sun-Sat
Reported:	2-3 Day(s)
CPT Codes:	82610

Please take note of the name change and special handling. Test will reflex to eGFR when patient age is unknown or is 18 or greater at no extra charge.

91900 Drug Screen, Umbilical Cord
CC

Specimen:																																																			
Collect:	Umbilical Cord in Sterile Specimen Container																																																		
Submit:	Umbilical Cord in Sterile Specimen Container. Submit Refrigerated.																																																		
Special Handling:	Collect at least 6 inches of umbilical cord. Specimen Preparation: Drain and discard any blood. Rinse the exterior of the cord segment with normal saline or an equivalent. Pat the specimen dry and place in container for transport. Storage/Transport Temperature: Refrigerated. Collection kits available. Please contact Interpath Client Services at 1-800-700-6891.																																																		
Rejection Criteria:	Cords soaking in blood Tissue that is obviously decomposed Formalin fixed																																																		
Stability:	Ambient: 1 Week(s); Refrigerated: 3 Week(s); Frozen: 12 Month(s); Incubated: Unacceptable																																																		
Methodology:	Quantitative Liquid Chromatography-Tandem Mass Spectrometry																																																		
Performed:	Sun-Sat																																																		
Reported:	2-4 Day(s)																																																		
CPT Codes:	80307																																																		
Interpretive Data:	Please see report for interpretive data.																																																		
Components:	<table border="0"> <tr> <td>91901 - INTERPRETATION</td> <td>90134 - Norbuprenorphine</td> </tr> <tr> <td>91905 - Buprenorphine</td> <td>91906 - Buprenorphine-G</td> </tr> <tr> <td>91907 - Codeine</td> <td>91908 - Dihydrocodeine</td> </tr> <tr> <td>91909 - Fentanyl</td> <td>91910 - Hydrocodone</td> </tr> <tr> <td>90135 - Norhydrocodone</td> <td>91911 - Hydromorphone</td> </tr> <tr> <td>91912 - Meperidine</td> <td>91913 - Methadone</td> </tr> <tr> <td>91914 - EDDP</td> <td>91915 - 6-Acetylmorphine</td> </tr> <tr> <td>91916 - Morphine</td> <td>91917 - Naloxone</td> </tr> <tr> <td>91919 - Oxycodone</td> <td>90136 - Noroxycodone</td> </tr> <tr> <td>91920 - Oxymorphone</td> <td>90137 - Noroxymorphone</td> </tr> <tr> <td>91921 - Propoxyphene</td> <td>91923 - Tapentadol</td> </tr> <tr> <td>91924 - Tramadol</td> <td>91925 - N-desmethyltramadol</td> </tr> <tr> <td>91926 - O-desmethyltramadol</td> <td>91927 - Amphetamine</td> </tr> <tr> <td>91928 - Benzoylcegonine</td> <td>91929 - m-OH-Benzoylcegonine</td> </tr> <tr> <td>91930 - Cocaethylene</td> <td>91931 - Cocaine</td> </tr> <tr> <td>91932 - MDMA-Ectasy</td> <td>91935 - Methamphetamine</td> </tr> <tr> <td>91936 - Phentermine</td> <td>91937 - Alprazolam</td> </tr> <tr> <td>91938 - Alpha-OH-Alprazolam</td> <td>91940 - Butalbital</td> </tr> <tr> <td>91941 - Clonazepam</td> <td>91942 - 7-Aminoclonazepam</td> </tr> <tr> <td>91943 - Diazepam</td> <td>91949 - Lorazepam</td> </tr> <tr> <td>91950 - Midazolam</td> <td>91951 - Alpha-OH-Midazolam</td> </tr> <tr> <td>91953 - Nordiazepam</td> <td>91954 - Oxazepam</td> </tr> <tr> <td>91955 - Phenobarbital</td> <td>91957 - Temazepam</td> </tr> <tr> <td>91960 - Zolpidem</td> <td>91961 - Phenacyclidine-PCP</td> </tr> <tr> <td>91963 - Marijuana</td> <td>91965 - ERR Drug Detect</td> </tr> </table>	91901 - INTERPRETATION	90134 - Norbuprenorphine	91905 - Buprenorphine	91906 - Buprenorphine-G	91907 - Codeine	91908 - Dihydrocodeine	91909 - Fentanyl	91910 - Hydrocodone	90135 - Norhydrocodone	91911 - Hydromorphone	91912 - Meperidine	91913 - Methadone	91914 - EDDP	91915 - 6-Acetylmorphine	91916 - Morphine	91917 - Naloxone	91919 - Oxycodone	90136 - Noroxycodone	91920 - Oxymorphone	90137 - Noroxymorphone	91921 - Propoxyphene	91923 - Tapentadol	91924 - Tramadol	91925 - N-desmethyltramadol	91926 - O-desmethyltramadol	91927 - Amphetamine	91928 - Benzoylcegonine	91929 - m-OH-Benzoylcegonine	91930 - Cocaethylene	91931 - Cocaine	91932 - MDMA-Ectasy	91935 - Methamphetamine	91936 - Phentermine	91937 - Alprazolam	91938 - Alpha-OH-Alprazolam	91940 - Butalbital	91941 - Clonazepam	91942 - 7-Aminoclonazepam	91943 - Diazepam	91949 - Lorazepam	91950 - Midazolam	91951 - Alpha-OH-Midazolam	91953 - Nordiazepam	91954 - Oxazepam	91955 - Phenobarbital	91957 - Temazepam	91960 - Zolpidem	91961 - Phenacyclidine-PCP	91963 - Marijuana	91965 - ERR Drug Detect
91901 - INTERPRETATION	90134 - Norbuprenorphine																																																		
91905 - Buprenorphine	91906 - Buprenorphine-G																																																		
91907 - Codeine	91908 - Dihydrocodeine																																																		
91909 - Fentanyl	91910 - Hydrocodone																																																		
90135 - Norhydrocodone	91911 - Hydromorphone																																																		
91912 - Meperidine	91913 - Methadone																																																		
91914 - EDDP	91915 - 6-Acetylmorphine																																																		
91916 - Morphine	91917 - Naloxone																																																		
91919 - Oxycodone	90136 - Noroxycodone																																																		
91920 - Oxymorphone	90137 - Noroxymorphone																																																		
91921 - Propoxyphene	91923 - Tapentadol																																																		
91924 - Tramadol	91925 - N-desmethyltramadol																																																		
91926 - O-desmethyltramadol	91927 - Amphetamine																																																		
91928 - Benzoylcegonine	91929 - m-OH-Benzoylcegonine																																																		
91930 - Cocaethylene	91931 - Cocaine																																																		
91932 - MDMA-Ectasy	91935 - Methamphetamine																																																		
91936 - Phentermine	91937 - Alprazolam																																																		
91938 - Alpha-OH-Alprazolam	91940 - Butalbital																																																		
91941 - Clonazepam	91942 - 7-Aminoclonazepam																																																		
91943 - Diazepam	91949 - Lorazepam																																																		
91950 - Midazolam	91951 - Alpha-OH-Midazolam																																																		
91953 - Nordiazepam	91954 - Oxazepam																																																		
91955 - Phenobarbital	91957 - Temazepam																																																		
91960 - Zolpidem	91961 - Phenacyclidine-PCP																																																		
91963 - Marijuana	91965 - ERR Drug Detect																																																		

Please remove component 91963 Marijuana from this panel, this component is being made available as a stand alone test 91963 Drug Screen (THC Metabolite), Umbilical.

91963 Drug Screen (THC Metabolite), Umbilical
NT

Specimen:	
Collect:	Umbilical Cord in Sterile Specimen Container
Submit:	Umbilical Cord in Sterile Specimen Container. Submit Refrigerated.
Special Handling:	Collect at least 6 inches of umbilical cord. Specimen Preparation: Drain and discard any blood. Rinse the exterior of the cord segment with normal saline or an equivalent. Pat the specimen dry and place in container for transport. Collection kits available. Please contact Interpath Client Services at 1-800-700-6891.
Rejection Criteria:	Cords soaking in saline or other solutions.
Stability:	Ambient: 3 Day(s); Refrigerated: 2 Week(s); Frozen: 12 Month(s); Incubated: Unacceptable
Methodology:	Qualitative Liquid Chromatography - Tandem Mass Spectrometry
Performed:	Sun-Sat
Reported:	2-4 Day(s)

New stand alone test as a replacement to marijuana component of the 91900 Drug Screen, Umbilical Cord panel.

91281 Maternal AFP [Only]
CC/SRC/AOE

Specimen:																	
Collect:	One SST Also Acceptable One Red Top																
Submit:	1 mL (Min:0.5 mL) Serum. Submit Refrigerated. Submit in a Standard Transport Tube.																
Special Handling:	Avoid Repeated Freeze/Thaw Cycles Specimen must be drawn between 14 weeks, 0 days and 24 weeks, 6 days gestation. Special Form - Patient History for Maternal Serum Testing The following information is required and must accompany the sample for test Interpretation: Patient's date of birth, current weight, due date, dating method (US, LMP), number of fetuses present, patient's race, if the patient was diabetic at the time of conception, if there is a known family history of neural tube defects, if the patient is currently smoking, if the patient is taking valproic acid or carbamazepine (Tegretol), and if this is a repeat sample.																
Rejection Criteria:	Grossly Hemolyzed Samples Plasma																
Stability:	Ambient: 3 Day(s); Refrigerated: 2 Week(s); Frozen: 12 Month(s); Incubated: Unacceptable																
Methodology:	Quantitative Chemiluminescent Immunoassay																
Performed:	Sun-Sat																
Reported:	3-4 Day(s)																
CPT Codes:	82105																
Interpretive Data:	Please see report for interpretive data.																
Components:	<table border="0"> <tr> <td>93241 - SPECIMEN</td> <td>93248 - Maternal Age</td> </tr> <tr> <td>93242 - DATING</td> <td>93202 - Est. Due Date</td> </tr> <tr> <td>93252 - Gestational Age</td> <td>93238 - Maternal Weight</td> </tr> <tr> <td>93243 - Mat. Insulin DM</td> <td>93244 - Family Hx of NTD</td> </tr> <tr> <td>91593 - Hx of Aneuploidy</td> <td>93245 - Maternal Race</td> </tr> <tr> <td>93246 - Number of Fetuses</td> <td>93169 - Patients AFP</td> </tr> <tr> <td>93239 - MoM for AFP</td> <td>93240 - Interpretation</td> </tr> <tr> <td>92052 - SMOKING</td> <td></td> </tr> </table>	93241 - SPECIMEN	93248 - Maternal Age	93242 - DATING	93202 - Est. Due Date	93252 - Gestational Age	93238 - Maternal Weight	93243 - Mat. Insulin DM	93244 - Family Hx of NTD	91593 - Hx of Aneuploidy	93245 - Maternal Race	93246 - Number of Fetuses	93169 - Patients AFP	93239 - MoM for AFP	93240 - Interpretation	92052 - SMOKING	
93241 - SPECIMEN	93248 - Maternal Age																
93242 - DATING	93202 - Est. Due Date																
93252 - Gestational Age	93238 - Maternal Weight																
93243 - Mat. Insulin DM	93244 - Family Hx of NTD																
91593 - Hx of Aneuploidy	93245 - Maternal Race																
93246 - Number of Fetuses	93169 - Patients AFP																
93239 - MoM for AFP	93240 - Interpretation																
92052 - SMOKING																	

Please take note of changes to specimen requirements, component changes, and ask on order entry changes.

Summary of component changes:

Add: 92052 SMOKING.

Summary of ask on order entry changes:

Remove: 1023 Gestational Age in weeks.

Add: 1128 Maternal DOB, 1142 Patient Weight Units, 1129 Date of LMP, 1143 Monochorionic Twins, 1144 Current Smoking, and 1145 Valproic/Carbamazepine.

(for the complete list of ask on order entry questions see attached compendium)

91011 Maternal Quad Panel
CC/SRC/AOE

Specimen:																							
Collect:	One SST Also Acceptable One Red Top																						
Submit:	3 mL (Min:1 mL) Serum. Submit Refrigerated. Submit in a Standard Transport Tube.																						
Special Handling:	Avoid Repeated Freeze/Thaw Cycles Separate aliquot required for each frozen test ordered Separate from cells ASAP Collect at 14-24 weeks gestation only. Remarks: The following information is required and must accompany the sample for test interpretation: Patient's date of birth, current weight, due date, dating method (US, LMP), number of fetuses present, patient's race, if the patient was diabetic at the time of conception, if there is a known family history of neural tube defects, if the patient has had a previous pregnancy with a trisomy, if the patient is currently smoking, if the patient is taking valproic acid or carbamazepine (Tegretol), if this is a repeat sample, and the age of the egg donor if in vitro fertilization.																						
Rejection Criteria:	Grossly Hemolyzed Samples Plasma																						
Stability:	Ambient: 3 Day(s); Refrigerated: 2 Week(s); Frozen: 12 Month(s); Incubated: Unacceptable																						
Methodology:	Quantitative Chemiluminescent Immunoassay																						
Performed:	Sun-Sat																						
Reported:	3-5 Day(s)																						
CPT Codes:	82105 82677 84702 86336																						
Interpretive Data:	Please see report for interpretive data.																						
Components:	<table border="0"> <tr> <td>93169 - Patients AFP</td> <td>93202 - Est. Due Date</td> </tr> <tr> <td>93206 - MoM FOR DIA</td> <td>93207 - Patients DIA</td> </tr> <tr> <td>93238 - Maternal Weight</td> <td>93239 - MoM for AFP</td> </tr> <tr> <td>93240 - Interpretation</td> <td>93241 - SPECIMEN</td> </tr> <tr> <td>93242 - DATING</td> <td>93243 - Mat. Insulin DM</td> </tr> <tr> <td>93244 - Family Hx of NTD</td> <td>93245 - Maternal Race</td> </tr> <tr> <td>93246 - Number of Fetuses</td> <td>93248 - Maternal Age</td> </tr> <tr> <td>93249 - Patients hCG</td> <td>93251 - MoM for hCG</td> </tr> <tr> <td>93252 - Gestational Age</td> <td>93253 - Patients uE3</td> </tr> <tr> <td>93255 - MoM for uE3</td> <td>91593 - Hx of Aneuploidy</td> </tr> <tr> <td>90059 - EER SCREEN</td> <td>92052 - SMOKING</td> </tr> </table>	93169 - Patients AFP	93202 - Est. Due Date	93206 - MoM FOR DIA	93207 - Patients DIA	93238 - Maternal Weight	93239 - MoM for AFP	93240 - Interpretation	93241 - SPECIMEN	93242 - DATING	93243 - Mat. Insulin DM	93244 - Family Hx of NTD	93245 - Maternal Race	93246 - Number of Fetuses	93248 - Maternal Age	93249 - Patients hCG	93251 - MoM for hCG	93252 - Gestational Age	93253 - Patients uE3	93255 - MoM for uE3	91593 - Hx of Aneuploidy	90059 - EER SCREEN	92052 - SMOKING
93169 - Patients AFP	93202 - Est. Due Date																						
93206 - MoM FOR DIA	93207 - Patients DIA																						
93238 - Maternal Weight	93239 - MoM for AFP																						
93240 - Interpretation	93241 - SPECIMEN																						
93242 - DATING	93243 - Mat. Insulin DM																						
93244 - Family Hx of NTD	93245 - Maternal Race																						
93246 - Number of Fetuses	93248 - Maternal Age																						
93249 - Patients hCG	93251 - MoM for hCG																						
93252 - Gestational Age	93253 - Patients uE3																						
93255 - MoM for uE3	91593 - Hx of Aneuploidy																						
90059 - EER SCREEN	92052 - SMOKING																						

Please take note of changes to specimen requirements, component changes, and ask on order entry changes.

Summary of component changes:

Add: 92052 SMOKING.

Summary of ask on order entry changes:

Remove: 1084 Family History of ANEUPLOIDY

Add: 1142 Patient Weight Units, 1143 Monochorionic Twins, 1144 Current Smoking, 1145 Valproic/Carbamazepine, 1146 Previous Trisomy Preg, and 1147 In Vitro Fertilization.

(for the complete list of ask on order entry questions see attached compendium)

93638 Maternal Screen #1
CC/SRC/AOE/LOINC

Specimen:																									
Collect:	One SST Also Acceptable One Red Top																								
Submit:	0.5 mL (Min:0.3 mL) Serum. Submit Refrigerated. Submit in a Standard Transport Tube.																								
Special Handling:	Specimen must be drawn between 10 weeks, 0 days and 13 weeks, 6 days gestation (Crown-Rump length (CRL) must be 32.4-83.9 mm). Requires complete gestational information including CRL. This test also requires the following information: Patient's date of birth, current weight, number of fetuses present, patient's race, if the patient was diabetic at the time of conception, if there is a known family history of neural tube defects, if the patient has had a previous pregnancy with a trisomy, if the patient is currently smoking, if the patient is taking valproic acid or carbamazepine (Tegretol), if this is a repeat sample, and the age of the egg donor if in vitro fertilization.																								
Rejection Criteria:	Hemolyzed specimens Plasma Specimens exposed to repeat freeze/thaw cycles																								
Stability:	Ambient: 3 Day(s); Refrigerated: 2 Week(s); Frozen: 3 Month(s); Incubated: Unacceptable																								
Methodology:	Quantitative Chemiluminescent Immunoassay																								
Performed:	Sun-Sat																								
Reported:	3-5 Day(s) Final interpretative report available when second specimen testing is complete.																								
CPT Codes:	84163																								
Interpretive Data:	Please see report for interpretive data.																								
Components:	<table border="0"> <tr> <td>93963 - Patients PAPP-A</td> <td>93964 MoM for PAPP-A</td> </tr> <tr> <td>93961 - Nuchal Trans (NT)</td> <td>93968 MoM for NT</td> </tr> <tr> <td>93240 - Interpretation</td> <td>93248 - Maternal Age</td> </tr> <tr> <td>93238 - Maternal Weight</td> <td>93202 - Est. Due Date</td> </tr> <tr> <td>93252 - Gestational Age</td> <td>93246 - Number of Fetuses</td> </tr> <tr> <td>93245 - Maternal Race</td> <td>91593 - Hx of Aneuploidy</td> </tr> <tr> <td>93962 - Crown Rump Length</td> <td>93965 - Sonographer Cert</td> </tr> <tr> <td>93966 - Sonographer Name</td> <td>93967 - Ultrasound Date</td> </tr> <tr> <td>93969 - Date for Sample 2</td> <td>93970 - EER Maternal Scrn</td> </tr> <tr> <td>92052 - SMOKING</td> <td>92053 - NUCHAL TWIN B</td> </tr> <tr> <td>92054 - Crown Rump Twin B</td> <td>93242 - DATING</td> </tr> <tr> <td>93241 - SPECIMEN</td> <td></td> </tr> </table>	93963 - Patients PAPP-A	93964 MoM for PAPP-A	93961 - Nuchal Trans (NT)	93968 MoM for NT	93240 - Interpretation	93248 - Maternal Age	93238 - Maternal Weight	93202 - Est. Due Date	93252 - Gestational Age	93246 - Number of Fetuses	93245 - Maternal Race	91593 - Hx of Aneuploidy	93962 - Crown Rump Length	93965 - Sonographer Cert	93966 - Sonographer Name	93967 - Ultrasound Date	93969 - Date for Sample 2	93970 - EER Maternal Scrn	92052 - SMOKING	92053 - NUCHAL TWIN B	92054 - Crown Rump Twin B	93242 - DATING	93241 - SPECIMEN	
93963 - Patients PAPP-A	93964 MoM for PAPP-A																								
93961 - Nuchal Trans (NT)	93968 MoM for NT																								
93240 - Interpretation	93248 - Maternal Age																								
93238 - Maternal Weight	93202 - Est. Due Date																								
93252 - Gestational Age	93246 - Number of Fetuses																								
93245 - Maternal Race	91593 - Hx of Aneuploidy																								
93962 - Crown Rump Length	93965 - Sonographer Cert																								
93966 - Sonographer Name	93967 - Ultrasound Date																								
93969 - Date for Sample 2	93970 - EER Maternal Scrn																								
92052 - SMOKING	92053 - NUCHAL TWIN B																								
92054 - Crown Rump Twin B	93242 - DATING																								
93241 - SPECIMEN																									

Please take note of changes to specimen requirements, component changes, ask on order entry changes, and changes in LOINC coding (see attached compendium).

Summary of component changes:

Remove: 93964 MoM for PAPP-A and 93968 MoM for NT.

Add: 92052 SMOKING, 92053 NUCHAL TWIN B, 92054 Crown Rump Twin B, 93242 DATING, and 93241 SPECIMEN.

Summary of ask on order entry changes:

Remove: 1023 Gestational Age in weeks.

Add: 1128 Maternal DOB, 1142 Patient Weight Units, 1017 Ultrasound or LMP, 1129 Date of LMP, 1143 Monochorionic Twins, 1144 Current Smoking, 1145 Valproic/Carbamazepine, 1146 Previous Trisomy Perg, 1147 In Vitro Fertilization, 1021 First or Repeat Specimen, 1149 Nuchal, 1063 Sonographers Cert, 1150 Reading MD Name, and 1151 Reading MD Cert Number.

(for the complete list of ask on order entry questions see attached compendium)

93639 Maternal Screen #2
CC/SRC/AOE/LOINC

Specimen:																																			
Collect:	One SST Also Acceptable One Red Top																																		
Submit:	3 mL (Min:1 mL) Serum. Submit Refrigerated. Submit in a Standard Transport Tube.																																		
Special Handling:	Avoid Repeated Freeze/Thaw Cycles Separate serum from cells within 2 hours of collection. Specimen must be collected between 14 weeks, 0 days and 24 weeks, 6 days gestation. Requires previously submitted Maternal Screen #1. Requires complete gestational information, including CRL.																																		
Rejection Criteria:	Hemolyzed specimens Plasma Specimens exposed to repeat freeze/thaw cycles																																		
Stability:	Ambient: 3 Day(s); Refrigerated: 2 Week(s); Frozen: 12 Month(s); Incubated: Unacceptable																																		
Methodology:	Quantitative Chemiluminescent Immunoassay																																		
Performed:	Sun-Sat																																		
Reported:	3-5 Day(s)																																		
CPT Codes:	81511																																		
Interpretive Data:	Please see report for interpretive data.																																		
Components:	<table border="0"> <tr> <td>93169 - Patients AFP</td> <td>93239 - MoM for AFP</td> </tr> <tr> <td>93249 - Patients hCG</td> <td>93251 - MoM for hCG</td> </tr> <tr> <td>93253 - Patients uE3</td> <td>93255 - MoM for uE3</td> </tr> <tr> <td>93207 - Patients DIA</td> <td>93206 - MoM FOR DIA</td> </tr> <tr> <td>93963 - Patients PAPP-A</td> <td>93964 - MoM for PAPP-A</td> </tr> <tr> <td>93961 - Nuchal Trans (NT)</td> <td>93968 - MoM for NT</td> </tr> <tr> <td>93240 - Interpretation</td> <td>93248 - Maternal Age</td> </tr> <tr> <td>93202 - Est. Due Date</td> <td>93252 - Gestational Age</td> </tr> <tr> <td>93238 - Maternal Weight</td> <td>93243 - Mat. Insulin DM</td> </tr> <tr> <td>93244 - Family Hx of NTD</td> <td>91593 - Hx of Aneuploidy</td> </tr> <tr> <td>93245 - Maternal Race</td> <td>93246 - Number of Fetuses</td> </tr> <tr> <td>93962 - Crown Rump Length</td> <td>93965 - Sonographer Cert</td> </tr> <tr> <td>93966 - Sonographer Name</td> <td>93967 - Ultrasound Date</td> </tr> <tr> <td>93971 - EER Maternal Scrn</td> <td>93241 - SPECIMEN</td> </tr> <tr> <td>92052 - SMOKING</td> <td>92053 - NUCHAL TWIN B</td> </tr> <tr> <td>92054 - Crown Rump Twin B</td> <td>93242 - DATING</td> </tr> <tr> <td>92055 - MoM for NT TWIN B</td> <td>92056 - GEST AGE 2nd Spec</td> </tr> </table>	93169 - Patients AFP	93239 - MoM for AFP	93249 - Patients hCG	93251 - MoM for hCG	93253 - Patients uE3	93255 - MoM for uE3	93207 - Patients DIA	93206 - MoM FOR DIA	93963 - Patients PAPP-A	93964 - MoM for PAPP-A	93961 - Nuchal Trans (NT)	93968 - MoM for NT	93240 - Interpretation	93248 - Maternal Age	93202 - Est. Due Date	93252 - Gestational Age	93238 - Maternal Weight	93243 - Mat. Insulin DM	93244 - Family Hx of NTD	91593 - Hx of Aneuploidy	93245 - Maternal Race	93246 - Number of Fetuses	93962 - Crown Rump Length	93965 - Sonographer Cert	93966 - Sonographer Name	93967 - Ultrasound Date	93971 - EER Maternal Scrn	93241 - SPECIMEN	92052 - SMOKING	92053 - NUCHAL TWIN B	92054 - Crown Rump Twin B	93242 - DATING	92055 - MoM for NT TWIN B	92056 - GEST AGE 2nd Spec
93169 - Patients AFP	93239 - MoM for AFP																																		
93249 - Patients hCG	93251 - MoM for hCG																																		
93253 - Patients uE3	93255 - MoM for uE3																																		
93207 - Patients DIA	93206 - MoM FOR DIA																																		
93963 - Patients PAPP-A	93964 - MoM for PAPP-A																																		
93961 - Nuchal Trans (NT)	93968 - MoM for NT																																		
93240 - Interpretation	93248 - Maternal Age																																		
93202 - Est. Due Date	93252 - Gestational Age																																		
93238 - Maternal Weight	93243 - Mat. Insulin DM																																		
93244 - Family Hx of NTD	91593 - Hx of Aneuploidy																																		
93245 - Maternal Race	93246 - Number of Fetuses																																		
93962 - Crown Rump Length	93965 - Sonographer Cert																																		
93966 - Sonographer Name	93967 - Ultrasound Date																																		
93971 - EER Maternal Scrn	93241 - SPECIMEN																																		
92052 - SMOKING	92053 - NUCHAL TWIN B																																		
92054 - Crown Rump Twin B	93242 - DATING																																		
92055 - MoM for NT TWIN B	92056 - GEST AGE 2nd Spec																																		

Please take note of changes to specimen requirements, component changes, and ask on order entry changes, and changes in LOINC coding (see attached compendium).

Summary of component changes:

Remove: 93252 Gestational Age

Add: 92052 SMOKING, 92053 NUCHAL TWIN B, 92054 Crown Rump Twin B, 93242 DATING, 93241 SPECIMEN, 92055 MoM for NT TWIN B, and 92056 GEST AGE 2nd Spec.

Summary of ask on order entry changes:

Remove: 1023 Gestational Age in weeks.

Add: 1128 Maternal DOB, 1142 Patient Weight Units, 1017 Ultrasound or LMP, 1129 Date of LMP, 1143 Monochorionic Twins, 1144 Current Smoking, 1145 Valproic/Carbamazepine, 1146 Previous Trisomy Preg, 1147 In Vitro Fertilization, 1021 First or Repeat Specimen, 1149 Nuchal, 1063 Sonographers Cert, 1150 Reading MD Name, and 1151 Reading MD Cert Number.

(for the complete list of ask on order entry questions see attached compendium)



**Interpath Laboratory, Inc.
Test File Update**

90080 Methsuximide **DC**
Please discontinue test. Testing being replaced with 90082 Methsuximide Metabolite (Normethsuximide), Serum or Plasma.

90082 Methsuximide Metabolite (Normethsuximide), Serum or Plasma **NT**

Specimen:	
Collect:	One Red Top Also Acceptable One Lavender (EDTA) One Pink Top (EDTA)
Submit:	2 mL (Min:0.7 mL) Serum. Submit Refrigerated. Submit in a Standard Transport Tube. Also Acceptable 2 mL (Min:0.7 mL) Plasma. Submit Refrigerated. Submit in a Standard Transport Tube.
Special Handling:	Separate from cells within 2 hours of collection
Rejection Criteria:	Use of separator tubes Whole blood
Stability:	Ambient: 2 Week(s); Refrigerated: 2 Week(s); Frozen: 2 Week(s); Incubated: Unacceptable
Methodology:	Quantitative High Performance Liquid Chromatography
Performed:	Varies
Reported:	4-11 Day(s)

New Test to replace 90080 Methsuximide.

91449 Single Stranded DNA, Antibody, **DC**
Please discontinue test.