

As an Interpath customer who receives electronic results or sends electronic orders you may need to be notified when we update our Service Manual. Although we try to keep these changes to a minimum, laboratory medicine is an evolving industry requiring changes to our technology from time to time. Depending on the requirements of your EMR or Hospital Information System you may be required to make similar changes to your system in order to correctly process inbound electronic results and create outbound electronic orders.

If you are uncertain that you are required to update your system we recommend that you contact your vendor for more information. As your laboratory service provider we are available to participate in the discussion with your vendor so that you clearly understand the impact of these changes.

Included in this email:

- This cover letter with a summary of the changes
- Microsoft Word® Document with the detail of these changes to our Service Manual
- Interpath Master Order/Result Compendium

Additional information including our most recent Service Manual and additional contact information can be found at www.interpathlab.com

Effective Date: October 14, 2019

Order Code	Test Name	NC	CC	CPT	SRC	RRC	NT	DT	AOE
		Name Change	Component Change	CPT Change	Specimen Requirements Change	Reference Range Change	New Test	Discontinued Test	Ask on Order Entry Questions
3000	CBC				◆				
3002	CBC with ANC				◆				
3135	CBC with ANC (3 Part Differential)				◆				
3005	CBC without Differential				◆				
2678	Rubeola Antibody, IgG					◆			
14031	MMR Immune Status					◆			
14235	MMR + VZV Immune Status					◆			
1001	Prenatal Panel I				◆				
3065	WBC and Differential				◆				

3000 CBC
SRC

Specimen:																	
Collect:	One Lavender (EDTA) Also Acceptable One Pink Top (EDTA)																
Submit:	4 mL (Min:1 mL) Whole blood in Lavender (EDTA). Submit Refrigerated. Also Acceptable 4 mL (Min:1 mL) Whole blood in Pink Top (EDTA). Submit Refrigerated.																
Special Handling:	Specimens with abnormalities that fall outside established parameters will be reviewed by a Pathologist and additional charges will apply.																
Rejection Criteria:	Clotted Specimen Grossly Hemolyzed Samples Samples collected in Sodium Citrate tubes, except for platelet count.																
Stability:	Ambient: 8 Hour(s); Refrigerated: 2 Day(s); Frozen: Unacceptable; Incubated: Unacceptable																
Methodology:	Cytochemical; Electrical Impedence; Laser																
Performed:	Sun-Sat																
Reported:	1-2 Day(s)																
CPT Codes:	85025																
Interpretive Data:	Please see report for interpretive data.																
Components:	<table border="0"> <tr> <td>3010 - WBC</td> <td>3015 - RBC</td> </tr> <tr> <td>3020 - HEMOGLOBIN</td> <td>3025 - HEMATOCRIT</td> </tr> <tr> <td>3030 - MCV</td> <td>3045 - RDW</td> </tr> <tr> <td>3035 - MCH</td> <td>3040 - MCHC</td> </tr> <tr> <td>3510 - PLATELET COUNT</td> <td>3054 - NEUTROPHILS</td> </tr> <tr> <td>3052 - LYMPHOCYTES</td> <td>3058 - MONOCYTES</td> </tr> <tr> <td>3060 - EOSINOPHILS</td> <td>3062 - BASOPHILS</td> </tr> <tr> <td>3056 - BANDS</td> <td>3075 - OTHER</td> </tr> </table>	3010 - WBC	3015 - RBC	3020 - HEMOGLOBIN	3025 - HEMATOCRIT	3030 - MCV	3045 - RDW	3035 - MCH	3040 - MCHC	3510 - PLATELET COUNT	3054 - NEUTROPHILS	3052 - LYMPHOCYTES	3058 - MONOCYTES	3060 - EOSINOPHILS	3062 - BASOPHILS	3056 - BANDS	3075 - OTHER
3010 - WBC	3015 - RBC																
3020 - HEMOGLOBIN	3025 - HEMATOCRIT																
3030 - MCV	3045 - RDW																
3035 - MCH	3040 - MCHC																
3510 - PLATELET COUNT	3054 - NEUTROPHILS																
3052 - LYMPHOCYTES	3058 - MONOCYTES																
3060 - EOSINOPHILS	3062 - BASOPHILS																
3056 - BANDS	3075 - OTHER																

Please take note of change to special handling.

3002 CBC with ANC
SRC

Specimen:																									
Collect:	One Lavender (EDTA) Also Acceptable One Pink Top (EDTA)																								
Submit:	4 mL (Min:1 mL) Whole blood in Lavender (EDTA). Submit Refrigerated. Also Acceptable 6 mL (Min:1 mL) Whole blood in Pink Top (EDTA). Submit Refrigerated.																								
Special Handling:	Specimens with abnormalities that fall outside established parameters will be reviewed by a Pathologist and additional charges will apply.																								
Rejection Criteria:	Clotted Specimen Grossly Hemolyzed Samples Samples collected in Sodium Citrate tubes, except for platelet count.																								
Stability:	Ambient: 8 Hour(s); Refrigerated: 2 Day(s); Frozen: Unacceptable; Incubated: Unacceptable																								
Methodology:	Electrical Impedance; Laser; Photometric																								
Performed:	Sun-Sat																								
Reported:	1-2 Day(s)																								
CPT Codes:	85025																								
Interpretive Data:	Please see report for interpretive data.																								
Components:	<table border="0"> <tr> <td>3010 - WBC</td> <td>3015 - RBC</td> </tr> <tr> <td>3020 - HEMOGLOBIN</td> <td>3025 - HEMATOCRIT</td> </tr> <tr> <td>3030 - MCV</td> <td>3045 - RDW</td> </tr> <tr> <td>3035 - MCH</td> <td>3040 - MCHC</td> </tr> <tr> <td>3510 - PLATELET COUNT</td> <td>3054 - NEUTROPHILS</td> </tr> <tr> <td>3056 - BANDS</td> <td>3052 - LYMPHOCYTES</td> </tr> <tr> <td>3058 - MONOCYTES</td> <td>3060 - EOSINOPHILS</td> </tr> <tr> <td>3062 - BASOPHILS</td> <td>3066 - NEUT, ABSOLUTE</td> </tr> <tr> <td>3067 - LYMPH, ABSOLUTE</td> <td>3069 - MONO, ABSOLUTE</td> </tr> <tr> <td>3073 - EOS, ABSOLUTE</td> <td>3071 - BASO, ABSOLUTE</td> </tr> <tr> <td>3075 - OTHER</td> <td>3099 - BAND, ABSOLUTE</td> </tr> <tr> <td>3103 - OTHER, ABSOLUTE</td> <td></td> </tr> </table>	3010 - WBC	3015 - RBC	3020 - HEMOGLOBIN	3025 - HEMATOCRIT	3030 - MCV	3045 - RDW	3035 - MCH	3040 - MCHC	3510 - PLATELET COUNT	3054 - NEUTROPHILS	3056 - BANDS	3052 - LYMPHOCYTES	3058 - MONOCYTES	3060 - EOSINOPHILS	3062 - BASOPHILS	3066 - NEUT, ABSOLUTE	3067 - LYMPH, ABSOLUTE	3069 - MONO, ABSOLUTE	3073 - EOS, ABSOLUTE	3071 - BASO, ABSOLUTE	3075 - OTHER	3099 - BAND, ABSOLUTE	3103 - OTHER, ABSOLUTE	
3010 - WBC	3015 - RBC																								
3020 - HEMOGLOBIN	3025 - HEMATOCRIT																								
3030 - MCV	3045 - RDW																								
3035 - MCH	3040 - MCHC																								
3510 - PLATELET COUNT	3054 - NEUTROPHILS																								
3056 - BANDS	3052 - LYMPHOCYTES																								
3058 - MONOCYTES	3060 - EOSINOPHILS																								
3062 - BASOPHILS	3066 - NEUT, ABSOLUTE																								
3067 - LYMPH, ABSOLUTE	3069 - MONO, ABSOLUTE																								
3073 - EOS, ABSOLUTE	3071 - BASO, ABSOLUTE																								
3075 - OTHER	3099 - BAND, ABSOLUTE																								
3103 - OTHER, ABSOLUTE																									

Please take note of change to special handling.

3135 CBC with ANC (3 Part Differential)
SRC

Specimen:																	
Collect:	One Lavender (EDTA) Also Acceptable One Pink Top (EDTA)																
Submit:	4 mL (Min:1 mL) Whole blood in Lavender (EDTA). Submit Refrigerated. Also Acceptable 6 mL (Min:1 mL) Whole blood in Pink Top (EDTA). Submit Refrigerated.																
Special Handling:	Specimens with abnormalities that fall outside established parameters will be reviewed by a Pathologist and additional charges will apply.																
Rejection Criteria:	Clotted Specimen Grossly Hemolyzed Samples Samples collected in Sodium Citrate tubes, except for platelet count																
Stability:	Ambient: 8 Hour(s); Refrigerated: 2 Day(s); Frozen: Unacceptable; Incubated: Unacceptable																
Methodology:	Electrical Impedance; Laser; Photometric																
Performed:	Sun-Sat																
Reported:	1-2 Day(s)																
CPT Codes:	85025																
Interpretive Data:	Please see report for interpretive data.																
Components:	<table border="0"> <tr> <td>3010 - WBC</td> <td>3015 - RBC</td> </tr> <tr> <td>3020 - HEMOGLOBIN</td> <td>3025 - HEMATOCRIT</td> </tr> <tr> <td>3030 - MCV</td> <td>3045 - RDW</td> </tr> <tr> <td>3035 - MCH</td> <td>3040 - MCHC</td> </tr> <tr> <td>3510 - PLATELET COUNT</td> <td>3076 - AUTO GRAN.</td> </tr> <tr> <td>3081 - AUTO MIDS</td> <td>3088 - AUTO LYMPHS.</td> </tr> <tr> <td>3176 - AUTO GRAN, ABS</td> <td>3181 - AUTO MID, ABS</td> </tr> <tr> <td>3188 - AUTO LYMPH, ABS</td> <td></td> </tr> </table>	3010 - WBC	3015 - RBC	3020 - HEMOGLOBIN	3025 - HEMATOCRIT	3030 - MCV	3045 - RDW	3035 - MCH	3040 - MCHC	3510 - PLATELET COUNT	3076 - AUTO GRAN.	3081 - AUTO MIDS	3088 - AUTO LYMPHS.	3176 - AUTO GRAN, ABS	3181 - AUTO MID, ABS	3188 - AUTO LYMPH, ABS	
3010 - WBC	3015 - RBC																
3020 - HEMOGLOBIN	3025 - HEMATOCRIT																
3030 - MCV	3045 - RDW																
3035 - MCH	3040 - MCHC																
3510 - PLATELET COUNT	3076 - AUTO GRAN.																
3081 - AUTO MIDS	3088 - AUTO LYMPHS.																
3176 - AUTO GRAN, ABS	3181 - AUTO MID, ABS																
3188 - AUTO LYMPH, ABS																	

Please take note of change to special handling.

3005 CBC without Differential
SRC

Specimen:											
Collect:	One Lavender (EDTA) Also Acceptable One Pink Top (EDTA)										
Submit:	4 mL (Min:1 mL) Whole blood in Lavender (EDTA). Submit Refrigerated. Also Acceptable 6 mL (Min:1 mL) Whole blood in Pink Top (EDTA). Submit Refrigerated.										
Special Handling:	Specimens with abnormalities that fall outside established parameters will be reviewed by a Pathologist and additional charges will apply.										
Rejection Criteria:	Clotted Specimen Grossly Hemolyzed Samples Samples collected in Sodium Citrate tubes, except for platelet count										
Stability:	Ambient: 8 Hour(s); Refrigerated: 2 Day(s); Frozen: Unacceptable; Incubated: Unacceptable										
Methodology:	Electrical Impedance; Photometric										
Performed:	Sun-Sat										
Reported:	1-2 Day(s)										
CPT Codes:	85027										
Interpretive Data:	Please see report for interpretive data.										
Components:	<table border="0"> <tr> <td>3010 - WBC</td> <td>3015 - RBC</td> </tr> <tr> <td>3020 - HEMOGLOBIN</td> <td>3025 - HEMATOCRIT</td> </tr> <tr> <td>3030 - MCV</td> <td>3045 - RDW</td> </tr> <tr> <td>3035 - MCH</td> <td>3040 - MCHC</td> </tr> <tr> <td>3510 - PLATELET COUNT</td> <td></td> </tr> </table>	3010 - WBC	3015 - RBC	3020 - HEMOGLOBIN	3025 - HEMATOCRIT	3030 - MCV	3045 - RDW	3035 - MCH	3040 - MCHC	3510 - PLATELET COUNT	
3010 - WBC	3015 - RBC										
3020 - HEMOGLOBIN	3025 - HEMATOCRIT										
3030 - MCV	3045 - RDW										
3035 - MCH	3040 - MCHC										
3510 - PLATELET COUNT											

Please take note of change to special handling.

2678 Rubeola Antibody, IgG
RRC

Specimen:	
Collect:	One SST Also Acceptable One Red Top
Submit:	1 mL (Min:0.2 mL) Serum. Submit Refrigerated. Submit in a Standard Transport Tube.
Special Handling:	Separate from cells ASAP
Rejection Criteria:	Grossly Hemolyzed Samples Grossly Lipemic Samples Plasma
Stability:	Ambient: Unacceptable; Refrigerated: 9 Day(s); Frozen: 1 Month(s); Incubated: Unacceptable
Methodology:	Chemiluminescent Immunoassay
Performed:	Monday, Tuesday, Wednesday, Thursday, Friday, Sunday
Reported:	1-3 Day(s)
CPT Codes:	86765

Please take note of change to referene range.

Referene Range:

<13.5 AU/mL	Negative – Presumed non-immune to measles infection
13.5-16.5 AU/mL	Equivocal - Repeat testing in 4-6 weeks is recommended
>16.5 AU/mL	Positive – Presumed immune to measles infection

14031 MMR Immune Status
RRC

Specimen:	
Collect:	One SST Also Acceptable One Red Top
Submit:	3 mL (Min:1.5 mL) Serum. Submit Refrigerated. Submit in a Standard Transport Tube.
Stability:	See Individual Components
Methodology:	See Individual Components
Performed:	Mon-Fri
Reported:	2-4 Day(s)
CPT Codes:	86735 86762 86765
Components:	2677 - MUMPS, IgG 2678 - RUBEOLA, IgG 2340 - RUBELLA

Please take note of change to referene range.

Rubeola IgG Reference Range:

<13.5 AU/mL Negative – Presumed non-immune to measles infection
 13.5-16.5 AU/mL Equivocal - Repeat testing in 4-6 weeks is recommended
 >16.5 AU/mL Positive – Presumed immune to measles infection

14235 MMR + VZV Immune Status
RRC

Specimen:		
Collect:	One SST Also Acceptable One Red Top	
Submit:	3 mL (Min:1.5 mL) Serum. Submit Refrigerated.	
Stability:	See Individual Components	
Methodology:	See Individual Components	
Performed:	Mon-Fri	
Reported:	2-4 Day(s)	
CPT Codes:	86735 86765	86762 86787
Components:	2677 - MUMPS, IgG 2340 - RUBELLA	2678 - RUBEOLA, IgG 2684 - VZV, IgG

Please take note of change to referene range.

Rubeola IgG Reference Range:

<13.5 AU/mL Negative – Presumed non-immune to measles infection
 13.5-16.5 AU/mL Equivocal - Repeat testing in 4-6 weeks is recommended
 >16.5 AU/mL Positive – Presumed immune to measles infection

3065 WBC and Differential
SRC

Specimen:									
Collect:	One Lavender (EDTA) Also Acceptable One Pink Top (EDTA)								
Submit:	4 mL (Min:1 mL) Whole blood in Lavender (EDTA). Submit Refrigerated. Also Acceptable 6 mL (Min:1 mL) Whole blood in Pink Top (EDTA). Submit Refrigerated.								
Special Handling:	Specimens with abnormalities that fall outside established parameters will be reviewed by a Pathologist and additional charges will apply.								
Rejection Criteria:	Clotted Specimen Grossly Hemolyzed Samples Samples collected in Sodium Citrate tubes.								
Stability:	Ambient: 8 Hour(s); Refrigerated: 2 Day(s); Frozen: Unacceptable; Incubated: Unacceptable								
Methodology:	Electrical Impedance; Laser								
Performed:	Sun-Sat								
Reported:	1-2 Day(s)								
CPT Codes:	85007 85048								
Interpretive Data:	Please see report for interpretive data.								
Components:	<table style="width: 100%; border: none;"> <tr> <td style="width: 50%;">3010 - WBC</td> <td style="width: 50%;">3054 - NEUTROPHILS</td> </tr> <tr> <td>3056 - BANDS</td> <td>3052 - LYMPHOCYTES</td> </tr> <tr> <td>3058 - MONOCYTES</td> <td>3060 - EOSINOPHILS</td> </tr> <tr> <td>3062 - BASOPHILS</td> <td>3075 - OTHER</td> </tr> </table>	3010 - WBC	3054 - NEUTROPHILS	3056 - BANDS	3052 - LYMPHOCYTES	3058 - MONOCYTES	3060 - EOSINOPHILS	3062 - BASOPHILS	3075 - OTHER
3010 - WBC	3054 - NEUTROPHILS								
3056 - BANDS	3052 - LYMPHOCYTES								
3058 - MONOCYTES	3060 - EOSINOPHILS								
3062 - BASOPHILS	3075 - OTHER								

Please take note of change to special handling.