

As an Interpath customer who receives electronic results or sends electronic orders you may need to be notified when we update our Service Manual. Although we try to keep these changes to a minimum, laboratory medicine is an evolving industry requiring changes to our technology from time to time. Depending on the requirements of your EMR or Hospital Information System you may be required to make similar changes to your system in order to correctly process inbound electronic results and create outbound electronic orders.

If you are uncertain that you are required to update your system we recommend that you contact your vendor for more information. As your laboratory service provider we are available to participate in the discussion with your vendor so that you clearly understand the impact of these changes.

Included in this email:

- This cover letter with a summary of the changes
- Microsoft Word® Document with the detail of these changes to our Service Manual
- Interpath Master Order/Result Compendium

Additional information including our most recent Service Manual and additional contact information can be found at www.interpathlab.com

Effective Date: September 18, 2024

Order Code	Test Name	NC Name Change	CC Component Change	CPT CPT Change	SRC Specimen Requirements Change	RRC Reference Range Change	NT New Test	DT Discontinued Test	AOE Ask on Order Entry Questions
2753	Beta-2 Glycoprotein Antibody, IgA				◆				
2729	Beta-2 Glycoprotein Antibody, IgG				◆				
2730	Beta-2 Glycoprotein Antibody, IgM				◆				
14474	Beta-2 Glycoprotein 1 Antibodies, IgG/IgA/IgM				◆				
2640	Cardiolipin Antibodies, IgG / IgM				◆				
4684	Cryptosporidium Antigen				◆				
2725	Deaminated Gliadin Peptide Antibody, IgA				◆				
2726	Deaminated Gliadin Peptide Antibody, IgG				◆				
14471	GI Distress Panel				◆				
14473	Gliadin Peptide Antibodies, IgG / IgA				◆				
14472	Gluten Sensitivity Panel				◆				
4022	Neisseria Gonorrhoea Culture				◆				
2752	Tissue Transglutaminase Antibody, IgA				◆				
2727	Tissue Transglutaminase Antibody, IgG				◆				
91220	Tricyclic Antidepressants, Quantitative, Serum or Plasma		◆	◆					

2753 Beta-2 Glycoprotein Antibody, IgA
SRC

Specimen:	
Collect:	One SST Also Acceptable One Green Top (Li Heparin) One Lavender (EDTA) One Pink Top (EDTA) One Red Top One Standard Transport Tube
Submit:	1 mL (Min:0.5 mL) Serum in Standard Transport Tube. Submit Refrigerated. Submit in a Standard Transport Tube. Also Acceptable 1 mL (Min:0.5 mL) Serum in Standard Transport Tube. Submit Refrigerated. Submit in a Standard Transport Tube. 1 mL (Min:0.5 mL) Plasma in Standard Transport Tube. Submit Refrigerated. Submit in a Standard Transport Tube. 1 mL (Min:0.5 mL) Plasma in Standard Transport Tube. Submit Refrigerated. Submit in a Standard Transport Tube. 1 mL (Min:0.5 mL) Plasma in Standard Transport Tube. Submit Refrigerated. Submit in a Standard Transport Tube.
Special Handling:	Separate from cells ASAP
Rejection Criteria:	Hemolyzed specimens Lipemic Samples Microbial Contamination
Stability:	Ambient: 8 Hour(s); Refrigerated: 14 Day(s); Frozen: 1 Month(s); Incubated: Unacceptable
Methodology:	Fluorescent Enzyme Immunoassay (ImmunoCAP)
Performed:	Tuesday, Thursday
Reported:	2-5 Day(s)
CPT Codes:	86146
Interpretive Data:	General Reference Range : <7 U/mL Beta 2 Glycoprotein IgA Reference Range: < 7.0 U/mL Negative 7.0 - 10.0 U/mL Equivocal - Retest in 4-6 weeks > 10.0 U/mL Positive

Please take note of changes to Collect, Rejection Criteria and Stability.

2729 Beta-2 Glycoprotein Antibody, IgG
SRC

Specimen:	
Collect:	One SST Also Acceptable One Green Top (Li Heparin) One Lavender (EDTA) One Pink Top (EDTA) One Red Top One Standard Transport Tube
Submit:	1 mL (Min:0.5 mL) Serum in Standard Transport Tube. Submit Refrigerated. Submit in a Standard Transport Tube. Also Acceptable 1 mL (Min:0.5 mL) Serum in Standard Transport Tube. Submit Refrigerated. Submit in a Standard Transport Tube. 1 mL (Min:0.5 mL) Plasma in Standard Transport Tube. Submit Refrigerated. Submit in a Standard Transport Tube. 1 mL (Min:0.5 mL) Plasma in Standard Transport Tube. Submit Refrigerated. Submit in a Standard Transport Tube. 1 mL (Min:0.5 mL) Plasma in Standard Transport Tube. Submit Refrigerated. Submit in a Standard Transport Tube.
Special Handling:	Separate from cells ASAP
Rejection Criteria:	Hemolyzed specimens Lipemic Samples Microbial Contamination
Stability:	Ambient: 8 Hour(s); Refrigerated: 14 Day(s); Frozen: 1 Month(s); Incubated: Unacceptable
Methodology:	Fluorescent Enzyme Immunoassay (ImmunoCAP)
Performed:	Tuesday, Thursday
Reported:	2-5 Day(s)
CPT Codes:	86146
Interpretive Data:	General Reference Range : <7 U/mL Beta 2 Glycoprotein IgG Reference Range: < 7.0 U/mL Negative 7.0 - 10.0 U/mL Equivocal - Retest in 4-6 weeks > 10.0 U/mL Positive

Please take note of changes to Collect, Rejection Criteria, and Stability.

2730 Beta-2 Glycoprotein Antibody, IgM
SRC

Specimen:	
Collect:	One SST Also Acceptable One Green Top (Li Heparin) One Lavender (EDTA) One Pink Top (EDTA) One Red Top One Standard Transport Tube
Submit:	1 mL (Min:0.5 mL) Serum in Standard Transport Tube. Submit Refrigerated. Submit in a Standard Transport Tube. Also Acceptable 1 mL (Min:0.5 mL) Serum in Standard Transport Tube. Submit Refrigerated. Submit in a Standard Transport Tube. 1 mL (Min:0.5 mL) Plasma in Standard Transport Tube. Submit Refrigerated. Submit in a Standard Transport Tube. 1 mL (Min:0.5 mL) Plasma in Standard Transport Tube. Submit Refrigerated. Submit in a Standard Transport Tube. 1 mL (Min:0.5 mL) Plasma in Standard Transport Tube. Submit Refrigerated. Submit in a Standard Transport Tube.
Special Handling:	Separate from cells ASAP
Rejection Criteria:	Hemolyzed specimens Lipemic Samples Microbial Contamination
Stability:	Ambient: 8 Hour(s); Refrigerated: 14 Day(s); Frozen: 1 Month(s); Incubated: Unacceptable
Methodology:	Fluorescent Enzyme Immunoassay (ImmunoCAP)
Performed:	Tuesday, Thursday
Reported:	2-5 Day(s)
CPT Codes:	86146
Interpretive Data:	General Reference Range : <7 U/mL Beta 2 Glycoprotein IgM Reference Range: < 7.0 U/mL Negative 7.0 - 10.0 U/mL Equivocal - Retest in 4-6 weeks > 10.0 U/mL Positive

Please take note of changes to Collect, Rejection Criteria, and Stability.

14474 Beta-2 Glycoprotein 1 Antibodies, IgG/IgA/IgM
SRC

Specimen:	
Collect:	One SST Also Acceptable One Green Top (Li Heparin) One Lavender (EDTA) One Pink Top (EDTA) One Red Top One Standard Transport Tube
Submit:	1 mL (Min:0.5 mL) Serum in Standard Transport Tube. Submit Refrigerated. Submit in a Standard Transport Tube. Also Acceptable 1 mL (Min:0.5 mL) Serum in Standard Transport Tube. Submit Refrigerated. Submit in a Standard Transport Tube. 1 mL (Min:0.5 mL) Plasma in Standard Transport Tube. Submit Refrigerated. Submit in a Standard Transport Tube. 1 mL (Min:0.5 mL) Plasma in Standard Transport Tube. Submit Refrigerated. Submit in a Standard Transport Tube. 1 mL (Min:0.5 mL) Plasma in Standard Transport Tube. Submit Refrigerated. Submit in a Standard Transport Tube.
Special Handling:	Separate from cells ASAP
Rejection Criteria:	Hemolyzed specimens Lipemic Samples Microbial Contamination
Stability:	Ambient: 8 Hour(s); Refrigerated: 14 Day(s); Frozen: 1 Month(s); Incubated: Unacceptable
Methodology:	Fluorescent Enzyme Immunoassay (ImmunoCAP)
Performed:	Tuesday, Thursday
Reported:	2-5 Day(s)
CPT Codes:	86146x3
Interpretive Data:	Please see report for interpretive data.
Components:	2729 - B2 GLYCO, IgG 2753 - B2 GLYCO, IgA 2730 - B2 GLYCO, IgM

Please take note of changes to Collect, Rejection Criteria, and Stability.

2640 Cardiolipin Antibodies, IgG / IgM SRC

Specimen:	
Collect:	<p>One SST</p> <p>Also Acceptable One Green Top (Li Heparin) One Lavender (EDTA) One Pink Top (EDTA) One Red Top One Standard Transport Tube</p>
Submit:	<p>1 mL (Min:0.5 mL) Serum in Standard Transport Tube. Submit Refrigerated. Submit in a Standard Transport Tube.</p> <p>Also Acceptable 1 mL (Min:0.5 mL) Serum in Standard Transport Tube. Submit Refrigerated. Submit in a Standard Transport Tube. 1 mL (Min:0.5 mL) Plasma in Standard Transport Tube. Submit Refrigerated. Submit in a Standard Transport Tube. 1 mL (Min:0.5 mL) Plasma in Standard Transport Tube. Submit Refrigerated. Submit in a Standard Transport Tube. 1 mL (Min:0.5 mL) Plasma in Standard Transport Tube. Submit Refrigerated. Submit in a Standard Transport Tube.</p>
Special Handling:	Separate from cells ASAP
Rejection Criteria:	Bacterially Contaminated Samples Grossly Hemolyzed Samples Grossly Lipemic Samples
Stability:	Ambient: 8 Hour(s); Refrigerated: 14 Day(s) ; Frozen: 1 Month(s); Incubated: Unacceptable
Methodology:	Chemiluminescent Immunoassay
Performed:	Tuesday, Thursday
Reported:	2-5 Day(s)
CPT Codes:	86147x2
Interpretive Data:	Please see report for interpretive data.
Components:	2635 - CARDIOLIPIN, IgG 2636 - CARDIOLIPIN, IgM

Please take note to changes for Collect, Rejection Criteria, and Stability.

4684 Cryptosporidium Antigen
SRC

Specimen:	
Collect:	Random Stool in O&P Transport Media-10% Formalin Also Acceptable Random Stool in Enteric Pathogen Transport Media Random Stool in Sterile Specimen Container
Submit:	Random Stool in O&P Transport Media-10% Formalin. Submit Ambient. Also Acceptable Random Stool in Enteric Pathogen Transport Media. Submit Ambient. 2 gm Random Stool in Sterile Specimen Container. Submit Refrigerated.
Special Handling:	Fresh Stool stable 2 days refrigerated. 1 week frozen. O&P Transport stable 2 months. ETM Stable 1 week refrigerated or frozen.
Rejection Criteria:	Rectal Swabs Diapers
Stability:	Ambient: 2 Month(s); Refrigerated: 2 Day(s); Frozen: 2 Month(s); Incubated: Unacceptable
Methodology:	Enzyme Immunoassay (EIA)
Performed:	Sun-Sat
Reported:	1-2 Day(s)
CPT Codes:	87328
Interpretive Data:	Please see report for interpretive data.
Components:	4684 - CRYPTOSPORIDIUM AG. 4932 - REVIEW INDICATED

Please take note of changes to Collect, and Special Handling.

2725 Deaminated Gliadin Peptide Antibody, IgA
SRC

Specimen:	
Collect:	One SST Also Acceptable One Lavender (EDTA) One Pink Top (EDTA) One Red Top One Standard Transport Tube
Submit:	1 mL (Min:0.5 mL) Serum in Standard Transport Tube. Submit Refrigerated. Submit in a Standard Transport Tube. Also Acceptable 1 mL (Min:0.5 mL) Serum in Standard Transport Tube. Submit Refrigerated. Submit in a Standard Transport Tube. 1 mL (Min:0.5 mL) Plasma in Standard Transport Tube. Submit Refrigerated. Submit in a Standard Transport Tube. 1 mL (Min:0.5 mL) Plasma in Standard Transport Tube. Submit Refrigerated. Submit in a Standard Transport Tube.
Special Handling:	Separate from cells ASAP
Rejection Criteria:	Hemolyzed specimens Lipemic Samples Microbial Contamination
Stability:	Ambient: 8 Hour(s); Refrigerated: 14 Day(s); Frozen: 1 Month(s); Incubated: Unacceptable
Methodology:	Fluorescent Enzyme Immunoassay (ImmunoCAP)
Performed:	Tuesday, Thursday
Reported:	2-5 Day(s)
CPT Codes:	83516
Interpretive Data:	General Reference Range : <7 U/mL GLIADIN IgA (ELiA U/mL) Reference Range: < 7.0 Negative 7.0 - 10.0 Equivocal - Repeat testing in 4-6 weeks > 10.0 Positive

Please take note of changes to Collect, Rejection Criteria, and Stability.

2726 Deaminated Gliadin Peptide Antibody, IgG
SRC

Specimen:	
Collect:	One SST Also Acceptable One Lavender (EDTA) One Pink Top (EDTA) One Red Top One Standard Transport Tube
Submit:	1 mL (Min:0.5 mL) Serum in Standard Transport Tube. Submit Refrigerated. Submit in a Standard Transport Tube. Also Acceptable 1 mL (Min:0.5 mL) Serum in Standard Transport Tube. Submit Refrigerated. Submit in a Standard Transport Tube. 1 mL (Min:0.5 mL) Plasma in Standard Transport Tube. Submit Refrigerated. Submit in a Standard Transport Tube. 1 mL (Min:0.5 mL) Plasma in Standard Transport Tube. Submit Refrigerated. Submit in a Standard Transport Tube.
Special Handling:	Separate from cells ASAP
Rejection Criteria:	Hemolyzed specimens Lipemic Samples Microbial Contamination
Stability:	Ambient: 8 Hour(s); Refrigerated: 14 Day(s); Frozen: 1 Month(s); Incubated: Unacceptable
Methodology:	Fluorescent Enzyme Immunoassay (ImmunoCAP)
Performed:	Tuesday, Thursday
Reported:	2-5 Day(s)
CPT Codes:	83516
Interpretive Data:	General Reference Range : <7 U/mL GLIADIN IgG (ELIA U/mL) Reference Range: < 7.0 Negative 7.0 - 10.0 Equivocal - Repeat testing in 4-6 weeks > 10.0 Positive

Please take note of changes to Collect, Rejection Criteria, and Stability.

14471 GI Distress Panel
SRC

Specimen:																			
Collect:	One SST Also Acceptable One Lavender (EDTA) One Pink Top (EDTA) One Red Top One Standard Transport Tube																		
Submit:	3 mL (Min:2 mL) Serum in Standard Transport Tube. Submit Refrigerated. Submit in a Standard Transport Tube. Also Acceptable 3 mL (Min:2 mL) Serum in Standard Transport Tube. Submit Refrigerated. Submit in a Standard Transport Tube. 3 mL (Min:2 mL) Plasma in Standard Transport Tube. Submit Refrigerated. Submit in a Standard Transport Tube. 3 mL (Min:2 mL) Plasma in Standard Transport Tube. Submit Refrigerated. Submit in a Standard Transport Tube.																		
Special Handling:	Separate from cells ASAP For patients receiving therapy with high biotin doses (>5 mg/day), no laboratory test specimen should be collected until at least 8 hours after the last biotin administration.																		
Rejection Criteria:	Hemolyzed specimens Lipemic Samples Microbially Contaminated																		
Stability:	Ambient: 8 Hour(s); Refrigerated: 14 Day(s); Frozen: 1 Month(s); Incubated: Unacceptable																		
Methodology:	Fluorescent Enzyme Immunoassay (ImmunoCAP)																		
Performed:	Mon-Fri																		
Reported:	2-5 Day(s)																		
CPT Codes:	82785 83516x4 86003x12																		
Interpretive Data:	Please see report for interpretive data.																		
Components:	<table border="0"> <tr> <td>80006 - PEANUT</td> <td>80008 - WALNUT</td> </tr> <tr> <td>80022 - HAZEL NUT</td> <td>80005 - FISH, COD</td> </tr> <tr> <td>80010 - SHRIMP</td> <td>80009 - SCALLOP</td> </tr> <tr> <td>80001 - MILK, COWS</td> <td>80003 - SOYBEAN</td> </tr> <tr> <td>80004 - WHEAT</td> <td>80020 - SESAME SEED</td> </tr> <tr> <td>80002 - EGG WHITE</td> <td>80056 - GLUTEN</td> </tr> <tr> <td>2727 - TISSUE TRANSG.IgG</td> <td>2752 - TISSUE TRANSG.IgA</td> </tr> <tr> <td>2726 - GLIADIN (DGP)-IgG</td> <td>2725 - GLIADIN (DGP)-IgA</td> </tr> <tr> <td>2274 - IMMUNOGLOBULIN E</td> <td></td> </tr> </table>	80006 - PEANUT	80008 - WALNUT	80022 - HAZEL NUT	80005 - FISH, COD	80010 - SHRIMP	80009 - SCALLOP	80001 - MILK, COWS	80003 - SOYBEAN	80004 - WHEAT	80020 - SESAME SEED	80002 - EGG WHITE	80056 - GLUTEN	2727 - TISSUE TRANSG.IgG	2752 - TISSUE TRANSG.IgA	2726 - GLIADIN (DGP)-IgG	2725 - GLIADIN (DGP)-IgA	2274 - IMMUNOGLOBULIN E	
80006 - PEANUT	80008 - WALNUT																		
80022 - HAZEL NUT	80005 - FISH, COD																		
80010 - SHRIMP	80009 - SCALLOP																		
80001 - MILK, COWS	80003 - SOYBEAN																		
80004 - WHEAT	80020 - SESAME SEED																		
80002 - EGG WHITE	80056 - GLUTEN																		
2727 - TISSUE TRANSG.IgG	2752 - TISSUE TRANSG.IgA																		
2726 - GLIADIN (DGP)-IgG	2725 - GLIADIN (DGP)-IgA																		
2274 - IMMUNOGLOBULIN E																			

Please take note of changes to Collect, Rejection Criteria, and Stability.

14473 Gliadin Peptide Antibodies, IgG / IgA
SRC

Specimen:	
Collect:	One SST Also Acceptable One Lavender (EDTA) One Pink Top (EDTA) One Red Top One Standard Transport Tube
Submit:	2 mL (Min:1 mL) Serum in Standard Transport Tube. Submit Refrigerated. Submit in a Standard Transport Tube. Also Acceptable 2 mL (Min:1 mL) Serum in Standard Transport Tube. Submit Refrigerated. Submit in a Standard Transport Tube. 2 mL (Min:1 mL) Plasma in Standard Transport Tube. Submit Refrigerated. Submit in a Standard Transport Tube. 2 mL (Min:1 mL) Plasma in Standard Transport Tube. Submit Refrigerated. Submit in a Standard Transport Tube.
Special Handling:	Separate from cells ASAP
Rejection Criteria:	Hemolyzed specimens Lipemic Samples Microbially Contaminated
Stability:	Ambient: 8 Hour(s); Refrigerated: 14 Day(s); Frozen: 1 Month(s); Incubated: Unacceptable
Methodology:	Fluorescent Enzyme Immunoassay (ImmunoCAP)
Performed:	Tuesday, Thursday
Reported:	2-5 Day(s)
CPT Codes:	83516x2
Interpretive Data:	Please see report for interpretive data.
Components:	2726 - GLIADIN (DGP)-IgG 2725 - GLIADIN (DGP)-IgA

Please take note of changes to Collect, Rejection Criteria, and Stability.

4022 Neisseria Gonorrhea Culture
SRC

Specimen:	
Collect:	Genital Swab in eSwab Also Acceptable Cervical/Vaginal Smear in Culturette-Aerobic Conjunctival Swab in Culturette-Aerobic Endocervical Swab in Culturette-Aerobic Genital Swab in Culturette-Aerobic Ocular Fluid in Culturette-Aerobic Other in Culturette-Aerobic Rectal Swab in Culturette-Aerobic Throat Swab in Culturette-Aerobic Urogenital Swab in Culturette-Aerobic Vaginal Secretions in Culturette-Aerobic Random Urine in Sterile Specimen Container Cervical/Vaginal in eSwab Conjunctival Swab in eSwab Endocervical Swab in eSwab Ocular Fluid in eSwab Other in eSwab Rectal Swab in eSwab Throat Swab in eSwab Urogenital Swab in eSwab Vaginal Secretions in eSwab
Submit:	Genital Swab in eSwab. Submit Ambient. Also Acceptable Ocular Fluid in Culturette-Aerobic. Submit Ambient. Throat Swab in Culturette-Aerobic. Submit Ambient. Conjunctival Swab in Culturette-Aerobic. Submit Ambient. Vaginal Secretions in Culturette-Aerobic. Submit Ambient. Endocervical Swab in Culturette-Aerobic. Submit Ambient. Cervical/Vaginal Smear in Culturette-Aerobic. Submit Ambient. Urogenital Swab in Culturette-Aerobic. Submit Ambient. Rectal Swab in Culturette-Aerobic. Submit Ambient. Other in Culturette-Aerobic. Submit Ambient. Genital Swab in Culturette-Anaerobic. Submit Ambient. Ocular Fluid in eSwab. Submit Ambient. Throat Swab in eSwab. Submit Ambient. Conjunctival Swab in eSwab. Submit Ambient. Vaginal Secretions in eSwab. Submit Ambient. Endocervical Swab in eSwab. Submit Ambient. Cervical/Vaginal in eSwab. Submit Ambient. Urogenital Swab in eSwab. Submit Ambient. Rectal Swab in eSwab. Submit Ambient. Other in eSwab. Submit Ambient. 15 mL (Min:5 mL) Random Urine in Sterile Specimen Container. Submit Refrigerated. Submit in a Standard Transport Tube.
Special Handling:	State Source Additional sources: Prostatic Fluid. Urine: collect morning first-void specimen. First part of voided specimen preferred over midstream urine. Urine is not a preferred specimen for GC culture; test is reasonably sensitive for male but not for females. NAAT testing is preferred. Urine stability: 1 day refrigerated.
Rejection Criteria:	Dry Swab
Stability:	Ambient: 2 Day(s); Refrigerated: Unacceptable; Frozen: Unacceptable; Incubated: Unacceptable
Methodology:	Culture
Performed:	Sun-Sat
Reported:	2-3 Day(s)
CPT Codes:	87070 87205
Interpretive Data:	Please see report for interpretive data.
Components:	4000 - GRAM STAIN 4105 - AEROBIC GONORRHEA CULTURE

4910 - REVIEW INDICATED

Please take note of changes to Collect, Submit, and Special Handling.

2752 Tissue Transglutaminase Antibody, IgA
SRC

Specimen:	
Collect:	One SST Also Acceptable One Lavender (EDTA) One Pink Top (EDTA) One Red Top One Standard Transport Tube
Submit:	1 mL (Min:0.5 mL) Serum in Standard Transport Tube. Submit Refrigerated. Submit in a Standard Transport Tube. Also Acceptable 1 mL (Min:0.5 mL) Serum in Standard Transport Tube. Submit Refrigerated. Submit in a Standard Transport Tube. 1 mL (Min:0.5 mL) Plasma in Standard Transport Tube. Submit Refrigerated. Submit in a Standard Transport Tube. 1 mL (Min:0.5 mL) Plasma in Standard Transport Tube. Submit Refrigerated. Submit in a Standard Transport Tube.
Special Handling:	Separate from cells ASAP
Rejection Criteria:	Hemolyzed specimens Lipemic Samples Microbial Contamination
Stability:	Ambient: 8 Hour(s); Refrigerated: 14 Day(s); Frozen: 1 Month(s); Incubated: Unacceptable
Methodology:	Fluorescent Enzyme Immunoassay (ImmunoCAP)
Performed:	Tuesday, Thursday
Reported:	2-5 Day(s)
CPT Codes:	83516
Interpretive Data:	General Reference Range : <7 U/mL tTG Ab, IgA (EliA U/mL) Reference Range: < 7.0 Negative 7.0 - 10.0 Equivocal > 10.0 Positive

Please take note of changes to Collect, Rejection Criteria, and Stability.

2727 Tissue Transglutaminase Antibody, IgG
SRC

Specimen:	
Collect:	One SST Also Acceptable One Lavender (EDTA) One Pink Top (EDTA) One Red Top One Standard Transport Tube
Submit:	1 mL (Min:0.5 mL) Serum in Standard Transport Tube. Submit Refrigerated. Submit in a Standard Transport Tube. Also Acceptable 1 mL (Min:0.5 mL) Serum in Standard Transport Tube. Submit Refrigerated. Submit in a Standard Transport Tube. 1 mL (Min:0.5 mL) Plasma in Standard Transport Tube. Submit Refrigerated. Submit in a Standard Transport Tube. 1 mL (Min:0.5 mL) Plasma in Standard Transport Tube. Submit Refrigerated. Submit in a Standard Transport Tube.
Special Handling:	Separate from cells ASAP
Rejection Criteria:	Hemolyzed specimens Lipemic Samples Microbial Contamination
Stability:	Ambient: 8 Hour(s); Refrigerated: 14 Day(s); Frozen: 1 Month(s); Incubated: Unacceptable
Methodology:	Fluorescent Enzyme Immunoassay (ImmunoCAP)
Performed:	Tuesday, Thursday
Reported:	2-5 Day(s)
CPT Codes:	83516
Interpretive Data:	General Reference Range : <7 U/mL tTG Ab, IgG (EliA U/mL) Reference Range: < 7.0 Negative 7.0 - 10.0 Equivocal > 10.0 Positive

Please take note of changes to Collect, Rejection Criteria, and Stability.

91220 Tricyclic Antidepressants, Quantitative, Serum or Plasma
CC,CPT

Specimen:															
Collect:	One Red Top Also Acceptable One Lavender (EDTA) One Pink Top (EDTA) One Standard Transport Tube														
Submit:	1 mL (Min:0.5 mL) Serum in Standard Transport Tube. Submit Refrigerated. Submit in a Standard Transport Tube. Also Acceptable 1 mL (Min:0.5 mL) Plasma in Standard Transport Tube. Submit Refrigerated. Submit in a Standard Transport Tube. 1 mL (Min:0.5 mL) Plasma in Standard Transport Tube. Submit Refrigerated. Submit in a Standard Transport Tube.														
Special Handling:	Separate from cells within 2 hours of collection														
Rejection Criteria:	Use of separator tubes Whole blood on clot Light blue (Citrate).														
Stability:	Ambient: 5 Day(s); Refrigerated: 2 Week(s); Frozen: 6 Month(s); Incubated: Unacceptable														
Methodology:	Quantitative Liquid Chromatography-Tandem Mass Spectrometry														
Performed:	Monday, Wednesday, Friday														
Reported:	2-8 Day(s)														
CPT Codes:	80337														
Interpretive Data:	Please see report for interpretive data.														
Components:	<table border="0"> <tr> <td>93258 - AMITRIP/NORTRIP TOTAL SP</td> <td>93259 - AMITRIPTYLINE</td> </tr> <tr> <td>92224 - DESIPRAMINE, SP</td> <td>93262 - DOXEPIN</td> </tr> <tr> <td>93263 - DOXEPIN/NORDOXEPIN TOTAL</td> <td>93264 - NORDOXEPIN</td> </tr> <tr> <td>92228 - PROTRIPTYLINE, SP</td> <td>92229 - IMIPRA/DESIPRA TOTAL, SP</td> </tr> <tr> <td>92230 - IMIPRAMINE, SP</td> <td>93271 - NORTRIPTYLINE</td> </tr> <tr> <td>92232 - CLOMIPRA/NORCLOMIPRA TOTAL SP</td> <td>92233 - NORCLOMIPRAMINE, SP</td> </tr> <tr> <td>93375 - CLOMIPRAMINE</td> <td></td> </tr> </table>	93258 - AMITRIP/NORTRIP TOTAL SP	93259 - AMITRIPTYLINE	92224 - DESIPRAMINE, SP	93262 - DOXEPIN	93263 - DOXEPIN/NORDOXEPIN TOTAL	93264 - NORDOXEPIN	92228 - PROTRIPTYLINE, SP	92229 - IMIPRA/DESIPRA TOTAL, SP	92230 - IMIPRAMINE, SP	93271 - NORTRIPTYLINE	92232 - CLOMIPRA/NORCLOMIPRA TOTAL SP	92233 - NORCLOMIPRAMINE, SP	93375 - CLOMIPRAMINE	
93258 - AMITRIP/NORTRIP TOTAL SP	93259 - AMITRIPTYLINE														
92224 - DESIPRAMINE, SP	93262 - DOXEPIN														
93263 - DOXEPIN/NORDOXEPIN TOTAL	93264 - NORDOXEPIN														
92228 - PROTRIPTYLINE, SP	92229 - IMIPRA/DESIPRA TOTAL, SP														
92230 - IMIPRAMINE, SP	93271 - NORTRIPTYLINE														
92232 - CLOMIPRA/NORCLOMIPRA TOTAL SP	92233 - NORCLOMIPRAMINE, SP														
93375 - CLOMIPRAMINE															

Please take note of changes to CPT Code, and Components.