



INTERPATH
LABORATORY

Interpath Laboratory, Inc.
Test File Update

As an Interpath customer who receives electronic results or sends electronic orders you may need to be notified when we update our Service Manual. Although we try to keep these changes to a minimum, laboratory medicine is an evolving industry requiring changes to our technology from time to time. Depending on the requirements of your EMR or Hospital Information System you may be required to make similar changes to your system in order to correctly process inbound electronic results and create outbound electronic orders.

If you are uncertain that you are required to update your system we recommend that you contact your vendor for more information. As your laboratory service provider we are available to participate in the discussion with your vendor so that you clearly understand the impact of these changes.

Included in this email:

- This cover letter with a summary of the changes
- Microsoft Word® Document with the detail of these changes to our Service Manual
- Interpath Master Order/Result Compendium

Additional information including our most recent Service Manual and additional contact information can be found at www.interpathlab.com

Effective Date: November 10, 2025



Order Code	Test Name	NC Name Change	CC Component Change	CPT CPT Change	SRC Specimen Requirements Change	RRC Reference Range Change	NT New Test	DT Discontinued Test	AOE Ask on Order Entry Questions
2109	Digoxin							◆	
91793	Digoxin, Serum or Plasma						◆		
2112	Gentamicin, Peak							◆	
2113	Gentamicin, Trough							◆	
2121	Phenobarbital							◆	
91587	Phenobarbital						◆		
2117	Theophylline							◆	
91789	Theophylline, Serum or Plasma						◆		
2118	Tobramycin, Peak							◆	
2122	Tobramycin, Trough							◆	
2287	Vancomycin, Peak							◆	
2286	Vancomycin, Trough							◆	
91788	Vancomycin Level, Trough, Serum						◆		



2109 Digoxin

DT

Please take note of discontinued test. If test is needed refer to test 91793 Digoxin, Serum or Plasma.

91793 Digoxin, Serum or Plasma

NT

Specimen:	
Collect:	One SST Also Acceptable One Gray Top One Standard Transport Tube
Submit:	1 mL (Min:0.4 mL) Serum in Standard Transport Tube. Submit Refrigerated. Submit in a Standard Transport Tube. Also Acceptable 1 mL (Min:0.4 mL) Plasma in Standard Transport Tube. Submit Refrigerated. Submit in a Standard Transport Tube.
Special Handling:	Separate serum from cells ASAP or within 2 hours of collection Collect specimen no sooner than 6 hours after dose.
Stability:	Ambient: 28 Day(s); Refrigerated: 28 Day(s); Frozen: 12 Month(s); Incubated: Unacceptable
Methodology:	Quantitative High Performance Liquid Chromatography-Tandem Mass Spectrometry
Performed:	Varies
Reported:	13-17 Day(s)
CPT Codes	80162

Please take note of New Test.

2112 Gentamicin, Peak

DT

Please take note of discontinued test with No Replacement.

2113 Gentamicin, Trough

DT

Please take note of discontinued test with No Replacement.



2121 Phenobarbital

DT

Please take note of discontinued test. If test is needed refer to test 91587 Phenobarbital.

91587 Phenobarbital

NT

Specimen:	
Collect:	One Red Top Also Acceptable One Green Top (Na Heparin) One Standard Transport Tube
Submit:	1 mL (Min:0.5 mL) Serum in Standard Transport Tube. Submit Refrigerated. Submit in a Standard Transport Tube. Also Acceptable 1 mL (Min:0.5 mL) Plasma in Standard Transport Tube. Submit Refrigerated. Submit in a Standard Transport Tube.
Special Handling:	Allow specimen to clot completely at room temperature Separate serum from cells ASAP or within 2 hours of collection
Rejection Criteria:	Hemolyzed specimens Separator tubes, lavender (EDTA), or gray (Sodium fluoride/potassium oxalate).
Stability:	Ambient: 2 Day(s); Refrigerated: 6 Month(s); Frozen: 6 Month(s); Incubated: Unacceptable
Methodology:	Enzyme Multiplied Immunoassay Technique (EMIT)
Performed:	Sun-Sat
Reported:	1-3 Day(s)
CPT Codes:	80184

Please take note of New Test.



2117 Theophylline

DT

Please take note of discontinued test. If test is needed refer to new test 91789 Theophylline, Serum or Plasma.

91789 Theophylline, Serum or Plasma

NT

Specimen:	
Collect:	One Red Top Also Acceptable One Lavender (EDTA) One Pink Top (EDTA) One Standard Transport Tube
Submit:	1 mL (Min:0.2 mL) Serum in Standard Transport Tube. Submit Refrigerated. Submit in a Standard Transport Tube. Also Acceptable 1 mL (Min:0.2 mL) Plasma in Standard Transport Tube. Submit Refrigerated. Submit in a Standard Transport Tube. 1 mL (Min:0.2 mL) Plasma in Standard Transport Tube. Submit Refrigerated. Submit in a Standard Transport Tube.
Special Handling:	Separate serum from cells ASAP or within 2 hours of collection
Rejection Criteria:	Polymer gel separation tube (SST or PST).
Stability:	Ambient: 1 Month(s); Refrigerated: 1 Month(s); Frozen: 1 Month(s); Incubated: Unacceptable
Methodology:	Quantitative High Performance Liquid Chromatography-Tandem Mass Spectrometry
Performed:	Varies
Reported:	6-11 Day(s)
CPT Codes:	80198

Please take note of New Test.

2118 Tobramycin, Peak

DT

Please take note of discontinued test with No Replacement.

2122 Tobramycin, Trough

DT

Please take note of discontinued test with No Replacement.

2287 Vancomycin, Peak

DT

Please take note of discontinued test with No Replacement



2286 Vancomycin, Trough

DT

**Please take note of discontinued test. If test is needed refer to new test 91788
Vancomycin Level, Trough, Serum or Plasma.**

91788 Vancomycin Level, Trough, Serum

NT

Specimen:	
Collect:	One Red Top Also Acceptable One Standard Transport Tube
Submit:	0.5 mL (Min:0.3 mL) Serum in Standard Transport Tube. Submit Refrigerated. Submit in a Standard Transport Tube.
Special Handling:	Separate serum from cells ASAP or within 2 hours of collection
Stability:	Ambient: 2 Day(s); Refrigerated: 2 Week(s); Frozen: 12 Month(s); Incubated: Unacceptable
Methodology:	Quantitative Kinetic Interaction of Microparticles in Solution (KIMS)
Performed:	Varies
Reported:	4-6 Day(s)
CPT Codes:	80202

Please take note of New Test.